

### B8.3 Mathematical Models for Financial Derivatives

Hilary Term 2019

#### Problem Sheet Four

Your grade will be determined from the *best five* answers to the first *seven* questions.

1. The price of a share evolves according to

$$\frac{dS_t}{S_t} = \mu dt + \sigma dW_t, \quad S_0 > 0,$$

which implies that the share does *not* pay any dividends. There is a constant, risk-free, continuously-compounded interest rate  $r$ . A non-standard European derivative security is written on this share; in addition to paying the up-front price of the derivative the holder of the claim must also pay an amount  $\beta S_t^\alpha dt$  over each interval  $[t, t + dt)$  during the life of the derivative.<sup>1</sup> Let the derivative security's price function be  $V(S, t)$ , for  $S > 0$  and  $t \leq T$ .<sup>2</sup> By suitably adapting either the delta-hedging or the self-financing replication argument, show that  $V(S, t)$  must satisfy the partial differential equation

$$\frac{\partial V}{\partial t} + \frac{1}{2}\sigma^2 S^2 \frac{\partial^2 V}{\partial S^2} + r S \frac{\partial V}{\partial S} - r V = \beta S^\alpha.$$

- (a) Assume first that  $\beta = 0$ . Find all separable solutions of the form  $V(S, t) = f(t) S^\gamma$  where  $\gamma$  is a real constant. Assume that  $f(T) = 1$ .
- (b) Find the steady-state solutions of this equation, that is, find solutions  $V(S)$  that only depend on  $S$ . Assume here that  $\alpha \neq 1$ ,  $\alpha \neq -2r/\sigma^2$  and  $\beta \neq 0$ .
- (c) Without doing the details, briefly explain how you would solve the problem

$$\frac{\partial V}{\partial t} + \frac{1}{2}\sigma^2 S^2 \frac{\partial^2 V}{\partial S^2} + r S \frac{\partial V}{\partial S} - r V = \beta S^\alpha,$$
$$V(S, T) = S^3,$$

assuming again that  $\alpha \neq 1$ ,  $\alpha \neq -2r/\sigma$  and  $\beta \neq 0$ .

---

<sup>1</sup>Here  $\alpha$  is a real number and  $\beta$  has dimensions of [price]<sup>1- $\alpha$</sup> /[time].

<sup>2</sup>This means that if  $S_t$  is the share's price then the derivative's price is  $V_t = V(S_t, t)$ .

2. Suppose that  $V(S, t)$  satisfies the Black-Scholes problem

$$\frac{\partial V}{\partial t} + \frac{1}{2}\sigma^2 S^2 \frac{\partial^2 V}{\partial S^2} + (r - y) S \frac{\partial V}{\partial S} - r V = 0, \quad S > 0, \quad t < T,$$

$$V(S, T) = P_o(S), \quad S > 0.$$

Use the chain rule to show that if  $F = S e^{(r-y)(T-t)}$  (the forward price of  $S$  over the time interval  $[t, T]$ ),  $t' = t$  and  $\hat{V}(F, t') = V(S, t)$  then

$$\frac{\partial \hat{V}}{\partial t'} + \frac{1}{2}\sigma^2 F^2 \frac{\partial^2 \hat{V}}{\partial F^2} - r \hat{V} = 0, \quad F > 0, \quad t' < T,$$

$$\hat{V}(F, T) = P_o(F), \quad F > 0.$$

3. Consider the following perpetual American option problem. The option's payoff is

$$P_o(S) = \begin{cases} K - S/3 & \text{if } 0 < S \leq K, \\ 0 & \text{if } S > K. \end{cases}$$

Assume that the option value satisfies the steady-state Black-Scholes equation

$$\mathcal{L}_{bs}[V] = \frac{1}{2}\sigma^2 S^2 V''(S) + (r - y) S V'(S) - r V = 0, \quad \hat{S} < S,$$

where  $0 < \hat{S} \leq K$  is the optimal exercise boundary and where  $\sigma > 0$ ,  $r > 0$  and  $y > 0$  are constants. The option satisfies the boundary conditions

$$V(\hat{S}) = K - \hat{S}/3, \quad \lim_{S \rightarrow \infty} V(S) \rightarrow 0.$$

- (a) Give a *sketch* of the payoff and option price as functions of  $S$  and indicate where  $\mathcal{L}_{bs}[V] = 0$ , where  $\mathcal{L}_{bs}[V] < 0$ , where  $V(S) > P_o(S)$  and where  $V(S) = P_o(S)$ .
- (b) Show that under the assumptions given above the quadratic

$$p(m) = \frac{1}{2}\sigma^2 m(m - 1) + (r - y) m - r$$

has two distinct real roots and only one of these is strictly negative.

- (c) Assume that we have smooth pasting at  $\hat{S}$ , i.e.,  $V'(\hat{S}) = -1/3$ . Show that this implies that

$$\hat{S} = \frac{3m^-}{m^- - 1} K,$$

where  $m^- < 0$  is the negative root of the quadratic  $p(m)$ .

- (d) Show that smooth pasting only makes sense if  $-\frac{1}{2} < m^- < 0$ .
- (e) What is the optimal exercise boundary if  $m^- < -\frac{1}{2}$ ? Justify your answer.
- (f) Suppose that  $-\frac{1}{2} < m^- < 0$ , so that smooth pasting does give the correct optimal exercise boundary. Suppose also that the holder of the option decides that they are going to ignore the optimal exercise boundary  $\hat{S}$  and simply exercise the option as soon as  $S \leq \bar{S}$  where  $0 < \bar{S} < K$  is chosen by the holder. In this case the value of the option,  $\bar{V}(S, t)$ , satisfies the problem

$$\begin{aligned}\mathcal{L}_{\text{bs}}[\bar{V}] &= 0, \quad S > \bar{S}, \\ \bar{V}(\bar{S}) &= K - \bar{S}/3, \quad \lim_{S \rightarrow \infty} \bar{V}(S) \rightarrow 0.\end{aligned}$$

Find  $\bar{V}(S)$  and show that

- i. if  $\bar{S} > \hat{S}$  then one could increase the value of the option by decreasing  $\bar{S}$  (hint; differentiate with respect to  $\bar{S}$ );
  - ii. if  $\bar{S} < \hat{S}$  then there is a potential arbitrage in the price  $\bar{V}(S)$  (hint; differentiate with respect to  $S$ ).
4. Let  $T_1$  and  $T_2$  be given times with  $0 < T_1 < T_2$  and let  $\alpha > 0$  be a given constant. A forward-start put is a European put option written on an asset whose price is  $S_t$ , but where the strike is not given at time zero, rather it is set equal to  $\alpha S_{T_1}$ , where  $S_{T_1}$  is the share price at time  $T_1$ . Find the option price for  $T_1 < t < T_2$  and then for  $0 \leq t \leq T_1$ .
5. An up-and-out barrier put option is an option which has the payoff of a regular put option provided the share price stays below a barrier,  $B > 0$ , for the life of the option, i.e., provided  $S_t < B$  for all  $t \in [0, T]$ . If at any time  $t \in [0, T]$  we have  $S_t \geq B$  the option immediately becomes worthless.
- (a) Write down the Black-Scholes problem for the price function of this option assuming that the share price has stayed below the barrier.
  - (b) Find the Black-Scholes value function for this option in terms of a vanilla put's value function assuming that the barrier lies above the strike,  $0 < K < B$ .
  - (c) Find the Black-Scholes value function for this option in terms of the price functions for vanilla and digital puts assuming the barrier lies below the strike,  $0 < B < K$ .
  - (d) By analogy with the down-and-in call option, define an up-and-in put and find a formula for its value in the case  $0 < K < B$ .

6. A down-and-out digital call option is a digital call option which becomes worthless if  $S_t \leq B$  at any time during the options life,  $[0, T]$ . Here  $B > 0$  is called the barrier. If we have  $S_t > B$  for all  $t \in [0, T]$  then the payoff for the option is the unit step function  $\mathbf{1}_{\{S_T \geq K\}}$ . If the underlying share pays a constant, continuous dividend yield  $y$ , find the Black-Scholes value of such an option if:

- (a) the barrier is less than the strike,  $0 < B < K$ ;
- (b) the barrier is greater than the strike,  $0 < K < B$ .

7. If an option depends on a continuously sampled arithmetic average of the share price we can write its price as  $V_t = V(S_t, R_t, t)$  where  $R_t = \int_0^t S_u du$  and at expiry the average share price is  $A_T = R_T/T$ . The Black-Scholes equation for the function  $V(S, R, T)$  is

$$\frac{\partial V}{\partial t} + \frac{1}{2}\sigma^2 S^2 \frac{\partial^2 V}{\partial S^2} + (r - y) S \frac{\partial V}{\partial S} + S \frac{\partial V}{\partial R} - r V = 0.$$

For  $t < T$ , find the solution of this equation if the payoff is

$$V(S, R, T) = A S + B R + C$$

for constants  $A$ ,  $B$  and  $C$ . Assume that  $r \neq y$ .

[Hint: try a solution of the form  $V(S, R, t) = a(t) S + b(t) R + c(t)$ .]

Assume now that the payoff is  $R_T = T \times A_T$ . Explain how you could perfectly hedge such a contract. Is your method independent of the Black-Scholes equation?

## Optional questions

8. For  $t \in [0, T]$  let  $S_t > 0$  satisfy the SDE

$$\frac{dS_t}{S_t} = (\mu - y) dt + \sigma dW_t, \quad S_0 = S > 0,$$

where  $\mu$ ,  $y$  and  $\sigma > 0$  are constants. Let  $M_t$  denote the maximum value of  $S_u$  over the interval  $[0, t]$ ,

$$M_t = \max_{0 \leq u \leq t} S_u,$$

for all  $t \in [0, T]$ . Show that

- (a)  $M_t$  is a nondecreasing function of  $t \in [0, T]$ ;
- (b)  $M_t$  is continuous in  $t$ ;
- (c)  $M_t$  has finite variation (and hence zero quadratic variation).

Deduce that the covariation  $\langle S, M \rangle_t$ , defined as

$$\langle S, M \rangle_t = \lim_{|\pi| \rightarrow 0} \sum_{k=0}^{n-1} (S_{k+1} - S_k) (M_{k+1} - M_k),$$

is zero for all  $t \in [0, T]$ . [Hint: note that although  $S_t$  has nonzero quadratic variation, and therefore infinite variation, it is nevertheless continuous in  $t$ .]

(As always, the partition  $\pi$  is defined as an increasing sequence  $0 = t_0 < t_1 < t_2 < \dots < t_n = t$ ,  $|\pi| = \max_{0 \leq k \leq n-1} t_{k+1} - t_k$ , and we use the shorthand  $S_k \equiv S_{t_k}$  and  $M_k \equiv M_{t_k}$ .)

### 9. Time-dependent parameters.

Assume that the price of a share,  $S_t$ , evolves according to the SDE

$$\frac{dS_t}{S_t} = (\bar{\mu}(t) - \bar{y}(t)) dt + \bar{\sigma}(t) dW_t,$$

where  $\bar{\mu}(t)$ ,  $\bar{y}(t)$  and  $\bar{\sigma}(t) > 0$  are known functions of time. Assume also that the risk-free rate is a known function of time,  $\bar{r}(t)$ .

- (a) Derive the Black-Scholes problem, for  $S > 0$ ,

$$\begin{aligned} \frac{\partial C}{\partial t} + \frac{1}{2} \bar{\sigma}(t)^2 S^2 \frac{\partial^2 C}{\partial S^2} + (\bar{r}(t) - \bar{y}(t)) S \frac{\partial C}{\partial S} - \bar{r}(t) C &= 0, \quad t < T, \\ V(S, T) &= (S - K)^+, \end{aligned} \tag{1}$$

for the value (function)  $C(S, t)$  of a European call option written on the share.

(b) Use the Feynman-K ac theorem to show that

$$C(S, t) = \exp\left(-\int_t^T \bar{r}(u) du\right) \mathbb{E}_t[(S_T - K)^+ | S_t = S],$$

where  $S_t$  evolves as

$$\frac{dS_t}{S_t} = (\bar{r}(t) - \bar{y}(t)) dt + \bar{\sigma}(t) dW_t. \quad (2)$$

(c) Deduce that the solution to (2) is

$$S_T = S_t \exp\left(\int_t^T (\bar{r}(u) - \bar{y}(u) - \frac{1}{2}\bar{\sigma}(u)^2) du + \int_t^T \bar{\sigma}(u) dW_u\right).$$

(d) Hence deduce that for fixed  $t < T$  the solution of (1) is

$$C(S, t) = C_{\text{bs}}(S, t; K, T, \hat{r}, \hat{y}, \hat{\sigma})$$

where

$$\hat{r} = \frac{1}{T-t} \int_t^T \bar{r}(u) du, \quad \hat{y} = \frac{1}{T-t} \int_t^T \bar{y}(u) du, \quad \hat{\sigma}^2 = \frac{1}{T-t} \int_t^T \bar{\sigma}(u)^2 du,$$

and  $C_{\text{bs}}(S, t; K, T, r, y, \sigma)$  is the Black-Scholes formula for a call with strike  $K$ , expiry  $T$ , constant risk-free rate  $r$ , constant continuous dividend yield  $y$  and constant volatility  $\sigma$ .

10. A European log-put option has the payoff

$$V_T = (-\log(S_T/K))^+$$

(a) Show that if  $S_u$  evolves as

$$\frac{dS_u}{S_u} = r du + \sigma dW_u, \quad t < u \leq T, \quad S_t = S,$$

then

$$\text{prob}(S_T < K) = N(-d_-), \quad d_- = \frac{\log(S/K) + (r - \frac{1}{2}\sigma^2)(T-t)}{\sqrt{\sigma^2(T-t)}}.$$

(b) Assuming the underlying share pays no dividends, show that the Black-Scholes value function for the log-put is

$$V(S, t) = e^{-r(T-t)} \sqrt{\sigma^2(T-t)} \left( d_- N(-d_-) - e^{-\frac{1}{2}d_-^2} / \sqrt{2\pi} \right).$$

11. Let  $0 < T_1 < T_2$  and  $K > 0$ . A derivative security with the following properties is written on a share (which does not pay any dividends between time  $t = 0$  and  $t = T_2$ ). If at time  $T_1$  the share price is greater than or equal to  $K$ ,  $S_{T_1} \geq K$ , then the derivative security becomes a European call option with strike  $S_{T_1}$  and expiry date  $T_2$ . If  $S_{T_1} < K$ , it becomes a European put option with strike  $S_{T_1}$  and expiry date  $T_2$ . Find the Black-Scholes price function for this security when  $T_1 < t < T_2$  and then when  $0 \leq t \leq T_1$ .

12. Assume that the USD/GBP exchange rate,  $X_t$ , evolves according to the SDE

$$\frac{dX_t}{X_t} = \mu dt + \sigma dW_t.$$

- (a) Given that today's exchange rate, at  $t = 0$ , is  $X_0$  find the expected USD/GBP exchange rate  $\mathbb{E}[X_T]$  at time  $T > 0$ .
- (b) Find the SDE which the GBP/USD exchange rate,  $Y_t = 1/X_t$  follows.
- (c) Given that  $Y_0 = 1/X_0$  today, find the expected GBP/USD exchange rate  $\mathbb{E}[Y_T]$  at time  $T > 0$ .
- (d) Show that, although  $X_T Y_T = 1$  for any  $T > 0$ ,

$$\mathbb{E}[X_T] \mathbb{E}[Y_T] = e^{\sigma^2 T}.$$

13. An investor has the choice of investing their wealth of 1 unit of currency in either a risky asset whose price evolves as

$$\frac{dS_t}{S_t} = \mu dt + \sigma dW_t, \quad t > 0, \quad S_0 = 1,$$

where  $\sigma > 0$ , or in a risk-free bond whose price evolves as

$$\frac{dB_t}{B_t} = r dt, \quad t > 0, \quad B_0 = 1,$$

where  $0 < r < \mu - \frac{1}{2}\sigma^2$ . The investment horizon is  $[0, T]$ . The investor decides to invest their funds in the risky asset, but is worried that when they withdraw the funds, at time  $T$ , the risk-free bonds may have outperformed the risky assets. So they consider the possibility of purchasing a put option with maturity  $T$  to protect themselves against this possibility. (They borrow money to buy the put.)

- (a) What is the probability of the risky asset underperforming the risk-free one, i.e, what is the probability that  $S_T < e^{rT}$ ?
- (b) What happens to this probability as  $T \rightarrow \infty$ ?
- (c) What should the strike of the put be in order that the investor is completely insured against the possibility of underperformance?
- (d) What happens to the price of the insurance as  $T \rightarrow \infty$ ?