Prelims Introductory Calculus MT 2019: Sheet 4

1. Given that

$$xs^2 + yt^2 = 1$$
 and $x^2s + y^2t = xy - 4$

where x = x(s,t) and y = y(s,t), find x_s , x_t , y_s and y_t at the point (x, y, s, t) = (1, -3, 2, -1).

2. Given that

$$z = x^2 + xy,$$

 $x^2 + y^3 = st + 5,$
 $x^3 - y^2 = s^2 + t^2,$

where x = x(s,t) and y = y(s,t), find expressions for $\frac{\partial z}{\partial s}$ and $\frac{\partial z}{\partial t}$. Evaluate these expressions at the point (x, y, s, t) = (3, 1, 1, 5).

3. Let t > 0. Verify that

$$T(x,t) = \frac{A}{\sqrt{t}} \exp\left(\frac{-x^2}{4\kappa t}\right)$$

is a solution of the heat equation

$$\frac{\partial T}{\partial t} = \kappa \frac{\partial^2 T}{\partial x^2}$$

Sketch T as a function of x at two different times t.

4. Find general solutions f(x, y, z) of the following PDES:

(a)
$$\frac{\partial^3 f}{\partial z^3} = 0$$
, (b) $\frac{\partial^3 f}{\partial x \partial y \partial z} = 0$.

5. Find general solutions u(x, y) of the following PDES:

(a)
$$y\frac{\partial u}{\partial y} = u$$
, (b) $\frac{\partial u}{\partial x} = 2xyu$.

6. Use the change of variable $u(x,t) = e^{\beta t}g(x)$ to find solutions of the equation

$$\frac{\partial^2 u}{\partial x^2} + 2\frac{\partial^2 u}{\partial x \partial t} + \frac{\partial^2 u}{\partial t^2} = 0.$$

7. Find separable solutions z(x, y) = X(x)Y(y) of the following PDEs:

(a)
$$\frac{\partial z}{\partial y} = y \frac{\partial z}{\partial x}$$
, (b) $x \frac{\partial z}{\partial x} = z + y \frac{\partial z}{\partial y}$.